

BVMS Plus 12.3



BVMS Plus is a unique IP video security solution that provides seamless management of digital video, audio, and data across any IP network. It provides the best video management system to go with Bosch video surveillance devices, leveraging the unique capabilities of Bosch cameras and recording solutions. It nevertheless offers interfaces and standards to integrate other systems and manufacturers.

The software is provided as an e-license via e-mail.

Regulatory information

General Data Protection Regulation

The General Data Protection Regulation (GDPR) is enforced on the 25th of May 2018. As a regulation it will be directly applicable to all EU member states without the need for national implementing legislation. As information captured, processed and stored by video surveillance systems is classified as "sensitive" the GDPR will cause significant impact on the video surveillance installations throughout

BVMS includes the required functionality to ensure an organization can be GDPR compliant.









- ► Flexible deployment choose between costeffective appliances or a software-only deployment.
- Embedded resilience keep operations up and running even when multiple system components fail.
- ▶ Bosch video at its best the best userexperience combining Bosch cameras with BVMS.
- ► Integration integrate third-party cameras, storage and further systems into BVMS.
- ► IT environments and data security benefit from full IT compatibility from installation to day-to-day management in a secure way.

Installation/configuration notes

Disclaimer

This software is not designed, intended, or authorized for use in any type of system or application in which the failure of the software could lead to a risk to health and safety. The user is responsible to verify that the software and its specified functionalities are suitable for the intended application, in particular with respect to accuracy, safety, and security.

The BVMS system design guide is published on the following website:

Bosch Building Technologies Knowledge Base. The system design guide summarizes the BVMS design details, and serves as a guide to planning a BVMS system with Bosch cameras and storage. It focuses on BVMS combined with the VRM.

To get started, read the following article on the Bosch Security & Safety community website: BVMS - Quick start overview

Video - BVMS Plus 12.3 2 | 5

BVMS Enterprise

Multiple BVMS Lite, Plus, Professional or DIVAR IP systems can be combined into one BVMS Enterprise System.

Cameras within system context	200000
Cameras per operator	10000
Sub-systems	Between 10 sub-systems with 1000 cameras per system or 100 sub-systems with 100 cameras per system.

Software assurance

The complexity of security systems has increased significantly over the last couple of years. At the same time, you are still relying on your system to mitigate security risks. With Bosch Software Assurance, you can relax knowing you can always approach us for help to ensure your system keeps on running. You can find the terms and conditions of Bosch Software Assurance on the following website: About Bosch Software Assurance

Technical specifications

The release notes give a detailed overview on the changes that are implemented, compared to the previous BVMS version.

The architects and engineering specifications specify in detail what the system is capable of.

Both documents can be found on the following web

Bosch Building Technologies Knowledge Base

System limits



Notice

The system limits are based on the hardware recommendations.

Maximum number of workstations	20
Maximum number of cameras	256
Maximum number of live and play- back sites	10
Maximum number of intrusion panels	10
Maximum number of DVRs	10
Maximum number of VRMs	2
Maximum number of sustained events (logbook) / sec	500
Maximum number of sustained events (without logbook) / sec	2500

Maximum peak event load / sec (within 60 minutes)	5000
Maximum number of events / sec from ONVIF cameras	500
Logbook size	4GB



(i) Notice

The logbook size can be increased by upgrading the Microsoft SQL Server Express edition included in the BVMS installation package.

Languages

Component	Languages
Quick installation guide	English, French, German, Simplified Chinese and Spanish
Configuration manual	English, German, Dutch, Italian, Portuguese, Finnish, French, Spanish, Simplified Chinese, Traditional Chinese, Russian, Czech, Greek, Polish, Swedish, Latvian, Lithuanian, Turkish and Korean
Operation manual	English, German, Dutch, Italian, Portuguese, Finnish, French, Spanish, Simplified Chinese, Traditional Chinese, Russian, Czech, Greek, Polish, Swedish, Latvian, Lithuanian, Turkish and Korean
Software	English, German, Dutch, Italian, Portuguese, French, Spanish, Simplified Chinese, Traditional Chinese, Russian, Hungarian, Japanese, Czech, Danish, Finnish, Greek, Norwegian, Polish, Swedish, Thai, Turkish, Korean, Arabic, Ukrainian and Vietnamese

Hardware recommendations

Cameras

All Bosch cameras can be used under the device compatibility concept, which you can find on the Bosch Security and Safety Community in the following article:

How-to: BVMS - Device compatibility

BVMS is an ONVIF Profile S certified video management system.

Management Server, Video Streaming Gateway, Video Recording Manager

It is recommended to run the Video Recording Manager and the BVMS Management Server on the same computer. Video - BVMS Plus 12.3 3 | 5

The recommended specifications for BVMS Plus are based on the Bosch DIVAR IP AiO 7000.

Item	Description
Operating System	Windows Server 2016 (64-bit)
	Windows Server 2019 (64-bit)
	Windows Server 2022 (64-bit)
	Windows 10 Professional (64-bit) (22H2)*
	Windows 10 Enterprise LTSC 2021*
	Windows 11 Pro (64-bit) (23H2)*
CPU	Intel Xeon E3-1275 V3 (3.5 GHz,4-core)
RAM	8GB
Free disk space	30GB (+ 15% of the hard-drive after installation)
Network	1 Gigabit/s network interface card

^{*} Windows 10 and Windows 11 are not supported for the Video Recording Manager.

Operator Client

Operator Ctient	
Item	Description
Operating System	Windows 10 Professional (64-bit) (22H2)
	Windows 10 Enterprise LTSC 2021
	Windows 11 Pro (64-bit) (23H2)
CPU	Intel Xeon W-2123 (3.6 GHz)
RAM	8GB
Free disk space	Minimum 10GB for Single Site Systems
	Minimum 15GB for Enterprise Systems
Network	1 Gigabit/s network interface card
Display resolution	Minimum: 1280 x 1024
	Maximum: 3840 x 2160
Graphic card	Nvidia Quadro P620
	Nvidia Quadro P2000
	Nvidia Quadro P4000
	Nvidia Quadro RTX A2000
	Nvidia Quadro RTX 4000
	Nvidia Quadro P2200
	Nvidia Quadro T600
	Nvidia Quadro T1000

Intel HD Graphics 630

Network

To achieve the performance listed in the table below, a 1 Gigabit/s network is a minimum requirement between the Operator Client and Management Server.

(Unicast) Maximum number of workstations simultaneously viewing the same camera	5
(Multicast) Maximum number of workstations simultaneously viewing the same camera	100
Event response time (assuming sufficient network performance considering bandwidth and delay)	< 1 second
Alarm visibility time (assuming sufficient network performance considering bandwidth and delay), including 1 live image pane, 1 instant playback image page, and 1 map image pane.	< 2 seconds

(i)

Notice

When the system does not have enough network resources, or is experiencing a temporary decrease in network performance, the event response time and alarm visibility time may increase.



(i) Notice

The list of communication channels and required network ports can be found in the BVMS Configuration manual.

Storage devices

The storage quick selection guide, which also includes non-Bosch storage devices, can be found

http://www.boschsecurity.com/bvms

Device	Series
Bosch DIVAR IP	2000, 3000, 5000, 6000, 7000
Bosch DIVAR IP AiO	4000, 5000, 6000, 7000
Bosch DSA E-Series	2300, 2400, 2500, 2600, 2700, 2800
Bosch DIVAR AN	3000, 5000
Bosch DIVAR network	2000, 3000, 5000
Bosch DIVAR hybrid	3000, 5000
Other hardware	

Туре	Device	Remarks
Decoder	Bosch VIDEOJET decoder 3000	n/a

Video - BVMS Plus 12.3 4 | 5

Туре	Device	Remarks	Туре	Device	Remarks	
Decoder	Bosch VIDEOJET de- coder 7000	n/a		Tattile Vega Smart	i	
Decoder	Bosch VIDEOJET de- coder 8000	Supports displaying of 4K cameras		Tattile Vega1 Tattile Vega 11		
Decoder	Bosch VIDEOJET de-	n/a		Tattile Vega 33		
	coder 7513		Ordering	information		
Decoder	Bosch VIDEOJET de- coder 7523	n/a		J License Plus base	ansions, 5 workstation	
Decoder	Bosch VIDEOJET de- coder 7533	n/a	expansion	s, 8 failover recording		
Foyer card reader	MINITER 485	n/a	intrusion p	anel, 1 live and playb	back site, and ATM/POS,	
Serial input	Werner Electronic DTP3N	n/a	allegiant and OPC functionality. Order number MBV-BPLU			
Intrusion panel	Bosch G-series B9512G 3.03.14,	Automation Device in the intrusion panels	Expansion	MBV-XCHANPLU License Camera/decoder expansion Expansion license for 1 encoder/decoder channel. Order the exact number required.		
	Bosch B5812G 3.03.14,	must be configured as Mode 2	Order num	ber MBV-XCHANPLU	<u> </u>	
	Bosch B5512 3.03.14,		Expansion workstatio	TPLU License Workst license for 1 worksta n requires 1 license).	tion (each extra	
	Bosch B4512 3.03.14,		MBV-FMA	ber MBV-XWSTPLU PPLU License online		
	Bosch B3512 3.03.14,		Order num	license for online ma ber MBV-FMAPPLU		
	Bosch B6512 3.03.14			JPLU License Map-ba license for Map-base	sed tracking assistant	
Intrusion panel	Bosch D9412GV4	Microsoft Windows		ber MBV-FOBJPLU	a tracking assistant.	
	2.03.018,	Patch 3155464 should not be installed	MBV-XDUI expansion	RPLU License Camera	a dual recording	
	Bosch D7412GV4 2.03.018				channel used for dual	
Monitor wall	Barco Transform N series	RCPPlus agent 0.9.5.0	Order num	ber MBV-XDURPLU		
Analog matrix switch	Bosch Allegiant Series	Firmware 8.75 or later, Master control soft- ware 2.94	MBV-XDVRPLU License DVR expansion Expansion license for 1 DVR. Order the exact number required. Order number MBV-XDVRPLU		-	
ATM/POS Bridge	Bosch ATM/POS Bridge	Version 1.10.00.12	MBV-XFO\	/PLU License VRM Fa	nilover channel	
Keyboard	Bosch KBD-Universal XF	USB	Failover VF		r channel used with a	
Keyboard	Bosch Intuikey	Serial, firmware 1.96		PLU License Intrusion	n panel expansion	
Digital I/O	Advantech ADAM-6050,	n/a	Expansion	license to integrate in ber MBV-XINTPLU		
	Advantech ADAM-6052,		MBV-XKBI	DPLU License Keyboa license for 1 CCTV ke	-	
	Advantech ADAM-6060,		exact num	ber required. ber MBV-XKBDPLU		
	Advantech ADAM-6066	,	Expansion	RPLU License LPR car license for 1 (Tattile) ber required.	mera expansion LPR camera. Order the	
USB to serial	Belkin serial adapter F5U103VEA	n/a	Order num	ber MBV-XLPRPLU		
Ethernet to serial	Comtrol DeviceMaster RTS 4-port	n/a		EPLU License Unman license for 1 site. Or	aged site expansion der the exact number	
	Tito + port					

Video - BVMS Plus 12.3 5 | 5

MBV-XSUBPLU License Subsystem expansion

Expansion license for 1 subsystem. Order the exact number required.

Order number MBV-XSUBPLU

MBV-FPRIPLU License Privacy overlay

Expansion license for Privacy overlay.

Order number MBV-FPRIPLU

Software Options

MBV-MPLU SMA license for MBV-BPLU, 1 year

1 year of maintenance cover for the Plus Edition base license.

Order number MBV-MPLU

MBV-MCHANPLU SMA license for MBV-XCHANPLU, 1 year

1 year of maintenance cover for the Plus Edition camera/decoder expansion license.

Order number MBV-MCHANPLU

MBV-MWSTPLU SMA license for MBV-XWSTPLU, 1 year

1 year of maintenance cover for the Plus Edition workstation expansion license.

Order number MBV-MWSTPLU

MBV-MOBJPLU SMA license for MBV-FOBJPLU, 1 year

One year of maintenance cover for the Map-based tracking assistant license.

Order number MBV-MOBJPLU

MBV-MMAPPLU SMA license for MBV-FMAPPLU, 1 year

One year of maintenance cover for an online map functionality license.

Order number MBV-MMAPPLU

MBV-MPLU-DIP SMA license for MBV-BPLU-DIP, 1 year

One year of maintenance cover for the BVMS license for DIVAR IP all-in-one 6000 and DIVAR IP all-in-one 7000. Order number **MBV-MPLU-DIP**

MBV-MDVRPLU SMA license for MBV-XDVRPLU, 1 vear

1 year of maintenance cover for the Plus Edition DVR expansion license.

Order number MBV-MDVRPLU

MBV-MKBDPLU SMA license for MBV-XKBDPLU, 1 year

1 year of maintenance cover for the Plus Edition keyboard expansion license.

Order number MBV-MKBDPLU

Order number MBV-MFOVPLU

MBV-MFOVPLU SMA license for MBV-XFOVPLU, 1 vear

1 year of maintenance cover for the Plus Edition Failover VRM expansion license.

MBV-MDURPLU SMA license for MBV-XDURPLU, 1 year

1 year of maintenance cover for the Plus Edition Dual Recording VRM expansion license.

Order number MBV-MDURPLU

MBV-MINTPLU SMA license for MBV-XINTPLU, 1 year

One year of maintenance cover for the BVMS Plus Intrusion panel expansion license.

Order number MBV-MINTPLU

MBV-MSITEPLU SMA license for MBV-XSITEPLU, 1 year

One year of maintenance cover for the site expansion license

Order number MBV-MSITEPLU

MBV-MSUBPLU SMA license for MBV-XSUBPLU, 1 year

One year of maintenance cover for an Enterprise Subsystem expansion license.

Order number MBV-MSUBPLU

MBV-MLPRPLU SMA license for MBV-XLPRPLU, 1 year

1 year of maintenance cover for the (Tattile) LPR camera expansion license.

Order number MBV-MLPRPLU

MBV-MPRIPLU SMA license for MBV-FPRIPLU, 1 year

One year of maintenance cover for a Privacy overlay license.

Order number MBV-MPRIPLU

