### Invented for life





BVMS is a unique IP video security solution that provides seamless management of digital video, audio and data across any IP network. The different editions of BVMS – Viewer, Lite, Plus, Professional and Enterprise – offer you full scalability, so you can expand your video surveillance system according to your needs and manage up to 200.000 cameras.

#### **BVMS Viewer**

**BVMS Viewer** allows you to access live and recorded data from Bosch video devices, making it the right fit for applications such as retail stores. It includes 16 camera channels free of charge and can be expanded to up to 500 cameras. Moreover, it features the following advantages:

- Easy to install and to use the guided installation makes it easy to set-up a system in a couple of minutes.

  The software is provided as an e-license via e-mail.
- Motion and forensic search search efficiently through video footage without additional costs.
- Live & Playback site and dynamic transcoding – use your BVMS Viewer to monitor up to 10.000 sites with access to HD images even with small bandwidth

#### **DIVAR IP systems**

The all-in-one video management appliances combine recording, video management (BVMS) and local operation, providing you with a complete, easy-to-install video recording system.

#### **BVMS Lite, Plus, Professional and Enterprise**

In contrast to the BVMS Viewer, BVMS Lite, Plus, Professional and Enterprise offer further functionalities next to accessing live and recorded video data:

- Intuitive alarm and event management enables security operators to react quickly in case of an incident.
- Maximize resilience keep operations up and running even when both, Management and Recording Servers fail.
- The extensive alarm management, map viewing capabilities and the map-based tracking assistant allow for a complete overview of the situation and provide the operator with the details he needs.

**BVMS Lite** is a fully functional demo version. It includes eight camera channels free of charge and can be expanded to up to 42 cameras.

**BVMS Plus** addresses mid-sized applications such as offices or warehouses, allowing you to manage up to 256 cameras at a very competitive price.

**BVMS Professional** is the suitable solution for larger applications like governmental facilities or power plants, with a maximum number of 2.000 camera channels.

For very large applications with various sites, BVMS Plus and Professional support the **Enterprise functionality**, allowing you to connect multiple BVMS systems (Lite, Plus, Professional) and / or DIVAR IP all-in-one units. It supports managing up to 200.000 cameras by the total system and enables you to access up to 100 subsystems simultaneously.

Bosch Software Assurance: Our comprehensive software maintenance and support service is available in two options. GO is our basic software maintenance and support offering that is automatically included for all software products, without additional costs. PRO is our premium software maintenance and support service offering that includes our Bosch Software Assurance GO, plus several additional features. The options also apply to BVMS on the DIVAR IP systems.

## **Quick Selection Guide** Video Management Systems













				1000, 2000 med 2000			
Hardware	BVMS Viewer	BVMS Lite	DIVAR IP all-in-one 4000	DIVAR IP all-in-one 6000	DIVAR IP all-in-one 7000	BVMS Plus	BVMS Professional
Software base license	MBV-BVWR	MBV-BLIT	MBV-BLIT-DIP	MBV-BPLU-DIP	MBV-BPLU-DIP	MBV-BPLU	MBV-BPRO
System features							
Included camera licenses (max no.)*	16 (500)	8 (42)	32 (32)	32 (64)	32 (256)	8 (256)	8 (2000)
Included workstation licenses (max no.)*	1 (1)	2 (5)	2 (5)	5 (20)	5 (20)	5 (20)	5 (100)
Included keyboard licenses (max no.)*	1 (1)	2 (5)	2 (5)	5 (10)	5 (10)	5 (10)	5 (100)
Included DVR licenses (max no.)*	5 (32)	1 (10)	1 (10)	1 (10)	1 (10)	1 (10)	1 (50)
Included Subsystem licenses (max no.)				0 (20)	0 (20)	0 (20)	0 (100)
Included Live and Playback site licenses (max. no.)*	16 (9999)			1 (20)	1 (20)	1 (20)	1 (9999)
Maximum number of Bosch VRM servers	32 <sup>1</sup>	2	2	2	2	2	125
Maximum storage capacity	n.a.	2 x 4 PB	3 x 36 TB	5 x 72 TB	5 x 192 TB	2 x 4 PB	125 x 4 PB
Forensic search	•	-	•	•	•	-	•
Events and alarms		-	•	•	•	-	•
Streamlining		-	-	•	•	-	•
GPU decoding	•	-	-	•	•	-	•
Remote access		-	-	•	•	-	•
Dynamic transcoding	•	■ 2	•	•	•	■ 2	<b>■</b> <sup>2</sup>
Web client		-	-	•	•	-	•
Offline map functionality		-	-	•		-	•
Online map functionality		-	-	•	•	-	•
Map-based tracking assistant		-	-	•	•	-	•
Audio support	•	-	-	•	•	-	•
Decoder support		-	-	•	•	-	•
BVMS Config Wizard		-	-	•	•	-	•
Privacy overlay		-	•	•	•	-	•
Redundancy							
Included Failover VRM channel licenses (max no.)*		8 (42)	8 (32)	8 (64)	8 (256)	8 (256)	8 (2000)
Included Dual Recording VRM channel licenses (max no.)*		8 (42)	8 (32)	8 (64)	8 (256)	8 (256)	8 (2000)
Automatic Network Replenishment (ANR)		-	-	•	•	-	•
Virtualization support**		-				-	•
Alarm management							
Logbook		-	-	•	•	-	•
Events and alarms		-	•	•	•	-	•
Email notification		-	-	•	•	-	•
Alarm-based notification	n.a.	-	•	•	•	-	•
Motion recording	n.a.	-	•	•	•	-	•
Video Analytics events		-	-	•	•	-	
SNMP support		-	-	•	•	-	•
Workflow with instructions on alarm		-	•	•	•	-	•
Integration							
Included B/G Intrusion Panel licenses (max no.)		1 (5)	1 (5)	1 (10)	1 (10)	1 (10)	1 (40)
Access Management System available integrations		5	5	5	5	5	5
Included LPR licenses (max no.)		0 (5)	0 (5)	0 (10)	0 (10)	0 (10)	0 (50)
I/O module support		-	-	•	•	-	•
Active directory	•	-	-	•	•	-	•
ATM-POS support		-	-	•	•	-	•
Additional data		-	-	•	•	-	•
Software Development Kit (SDK)		-	•	•	•	-	•


<sup>&</sup>lt;sup>1</sup> Limited

<sup>&</sup>lt;sup>2</sup> Additional hardware required

<sup>\*</sup> Included quantities refer to the base package. Please refer to the corresponding datasheet for details of DIVAR IP licensing and prelicensed quantities.

<sup>\*\*</sup> Please refer to the separate document: Virtualization - concept explained (LINK: https://community.boschsecurity.com/t5/Security-Video/What-is-virtualization-A-concept-explained/ta-p/3914)

### **Quick Selection Guide** Video Management Systems



# **Quick Selection Guide** Video Management Systems









				_	
	BVMS Viewer	BVMS Lite	BVMS Plus	BVMS Professional	
Licensing					
BVMS 11.0 and higher Licenses version independent					
Base license	MBV-BVWR	MBV-BLIT	MBV-BPLU	MBV-BPRO	
Channel	MBV-XCHANVWR	MBV-XCHANLIT	MBV-XCHANPLU	MBV-XCHANPRO	
Dual Recording channel	-	MBV-XDURLIT	MBV-XDURPLU	MBV-XDURPRO	
Failover channel	-	MBV-XFOVLIT	MBV-XFOVPLU	MBV-XFOVPRO	
Workstation	-	MBV-XWSTLIT	MBV-XWSTPLU	MBV-XWSTPRO	
Keyboard	-	MBV-XKBDLIT	MBV-XKBDPLU	MBV-XKBDPRO	
DVR	MBV-XDVRVWR	MBV-XDVRLIT	MBV-XDVRPLU	MBV-XDVRPRO	
ntrusion panel	-	MBV-XINTLIT	MBV-XINTPLU	MBV-XINTPRO	
LPR camera	-	MBV-XLPRLIT	MBV-XLPRPLU	MBV-XLPRPRO	
Online map	-	MBV-FMAPLIT	MBV-FMAPPLU	MBV-FMAPPRO	
Map-based Tracking Assistant	-	MBV-FOBJLIT	MBV-FOBJPLU	MBV-FOBJPRO	
Unmanaged site	MBV-XSITEVWR	-	MBV-XSITEPLU	MBV-XSITEPRO	
Subsystem	-	-	MBV-XSUBPLU	MBV-XSUBPRO	
Mobile Video Service	-	-	MBV-XMVSPLU	MBV-XMVSPRO	
Privacy overlay	-	MBV-FPRILIT	MBV-FPRIPLU	MBV-FPRIPRO	
Licenses version dependent, " <i>xyz</i> " indicat	ting corresponding BVMS version  MBV-BVWR-xyz	MBV-BLIT-xyz	MBV-BPLU-xyz	MBV-BPRO-xyz	
Channel	MBV-XCHAN-VWR	MBV-XCHANLIT-xyz	MBV-XCHANPLU-xyz	MBV-XCHAN-xyz	
Dual Recording channel	-	MBV-XDURLIT-xyz	MBV-XDURPLU-xyz	MBV-XDUR-xyz	
Failover channel	-	MBV-XFOVLIT-xyz	MBV-XFOVPLU-xyz	MBV-XFOV-xyz	
Workstation	-	MBV-XWSTLIT-xyz	MBV-XWSTPLU-xyz	MBV-XWST-xyz	
Keyboard	-	MBV-XKBDLIT-xyz	MBV-XKBDPLU-xyz	MBV-XKBD-xyz	
DVR	MBV-XDVR-VWR	MBV-XDVRLIT-xyz	MBV-XDVRPLU-xyz	MBV-XDVR-xyz	
ntrusion panel	-	MBV-XINTLIT-xyz	MBV-XINTPLU-xyz	MBV-XINT-xyz	
LPR camera	-	MBV-XLPRLIT-xyz	MBV-XLPRPLU-xyz	MBV-XLPR-xyz	
Online map	-	-	-	-	
Map-based Tracking Assistant	-	-	-	-	
Jnmanaged site	MBV-XSITE-VWR	-	MBV-XSITEPLU-xyz	MBV-XSITE-xyz	
Subsystem	-	-	MBV-XSUBPLU-xyz	MBV-XSUB-xyz	
Mobile Video Service	-	-	MBV-XMVSPLU-xyz	MBV-XMVS-xyz	
Software assurance					
Software Assurance Policy	Assurance Go included.	Assurance Go included,	Assurance Go included, Pro needs to be	Assurance Go include	