BVMS Viewer 9.0

www.boschsecurity.com





The BVMS Viewer allows to live-monitor and replay recorded video from Bosch network attached cameras and recorders. The BVMS Viewer supports the current Bosch video product portfolio as well as legacy Bosch video systems. The software package consists of an Operator Client and a Configuration Client. The BVMS Viewer is a variant of the Bosch Video Management System. The free of charge base package includes 16 live only or local storage cameras, 5 Bosch recording solutions and 16 live and playback sites. The system can be expanded with expansion licenses up to 500 cameras and 9999 sites. If enhanced video management functionality is required, the system can easily be upgraded to a BVMS Professional system.

Certifications and approvals

General Data Protection Regulation

The General Data Protection Regulation (GDPR) is enforced on the 25th of May 2018. As a regulation it will be directly applicable to all EU member states without the need for national implementing legislation. As information captured, processed and stored by



- Live viewing of multiple cameras benefit from the state-of-the-art video decoding capabilities of BVMS Professional
- Playback and export from storage connect to external Bosch storage devices
- Free of charge up to 16 cameras load the license, and off you go
- Forensic search search for content in the recorded video
- Live and playback sites manage multiple locations in an easy way

video surveillance systems is classified as "sensitive" the GDPR will cause significant impact on the video surveillance installations throughout Europe. BVMS includes the required functionality to ensure an organization can be GDPR compliant, which is further explained in the BVMS - GDPR document, which can be found on the following web page: Bosch Building Technologies Community.

Technical specifications

The release notes give a detailed overview on the changes that are implemented compared to the previous BVMS Viewer version. You can find them on the Bosch Security Systems web

page:

www.boschsecurity.com

System limits

| Maximum number of workstations | 1 |
|---|------|
| Maximum number of cameras | 500 |
| Maximum number of live and playback sites | 9999 |

| Maximum number of DVRs | 32 |
|------------------------|----|
| Maximum number of VRMs | 32 |

Languages

| Component | Languages |
|--------------------------|--|
| Quick installation guide | English, French, German, Simplified Chinese and Spanish |
| Configuration manual | English, German, Dutch, Italian, Portuguese, French, Spanish, Simplified Chinese, Traditional Chinese, Russian, Czech, Greek, Polish, Swedish, Turkish and Korean. |
| Operation manual | English, German, Dutch, Italian, Portuguese, French, Spanish, Simplified Chinese, Traditional Chinese, Russian, Czech, Greek, Polish, Swedish, Turkish and Korean. |
| Software | English, German, Dutch, Italian, Portuguese, French, Spanish, Simplified Chinese, Traditional Chinese, Russian, Hungarian, Japanese, Czech, Danish, Finnish, Greek, Norwegian, Polish, Swedish, Thai, Turkish, Korean, Arabic, and Vietnamese |

Hardware recommendations

Cameras

All Bosch cameras can be used under the device compatibility concept, which you can find on the Bosch Security & Safety community in the following article:

How-to: BVMS - Device compatibility.

The list of supported ONVIF cameras can be found on: http://ipp.boschsecurity.com/bvms.

If a camera is not listed, testing can be ordered by filling in the custom camera integration form.

Operator Client

| Operating System | Windows 10 Professional (64- bit) Spring Creators update (1803) Windows 10 Professional (64- bit) Fall Creators update (1709) Windows 10 Enterprise (64-bit) LTSB 2016 (1607) |
|------------------|---|
| CPU | Intel Core i7 4770 3.4 GHz (up to 3.9 GHz) |
| RAM | 8GB |
| Free disk space | Minimum 3GB for Single Site Systems |

| | Minimum 5GB for Enterprise Systems |
|--------------------|---|
| Network | 1 Gigabit/s network interface card |
| Display resolution | Minimum: 1280 x 1024 Recommended: 1920 x 1080 |
| Graphics card | Nvidia Quadro K620 Nvidia Quadro M2000 Nvidia Quadro M4000 Nvidia Quadro P2000 Nvidia Quadro P4000 Intel HD Graphics 530 |

Storage devices

The storage quick selection guide, which also includes non-Bosch storage devices, can be found on: http://ipp.boschsecurity.com/bvms

| Device | Series |
|-------------------------------|---------------------------------------|
| Bosch DIVAR IP | 2000, 3000, 5000, 6000, 7000 |
| Bosch DSA E-Series | 2300, 2400, 2500, 2600, 2700, 2800 |
| Bosch DIVAR AN | 3000, 5000 |
| Bosch DIVAR network | 2000, 3000, 5000 |
| Bosch DIVAR hybrid | 3000, 5000 |
| Bosch DVR | 700, 4xx, 6xx |
| Bosch DiBos | Firmware 8.7 |
| Bosch Recording Station (BRS) | Firmware 8.10 / 8.11 |

Ordering information

MBV-BVWR-90 License Viewer base

Base license for BVMS Viewer edition. Includes 16 camera/decoder expansions, 5 Bosch recording solutions, and 16 live and playback sites. Order number **MBV-BVWR-90**

MBV-XCHAN-VWR License Camera/decoder expansion

BVMS Viewer Expansion license for 1 encoder/decoder channel. Order the exact number required. Order number **MBV-XCHAN-VWR**

MBV-XDVR-VWR License DVR expansion BVMS Viewer Expansion license for 1 Bosch recording solution. Order the exact number required. Order number **MBV-XDVR-VWR**

MBV-XSITE-VWR License Site expansion

BVMS Viewer Expansion license for 1 site. Order the exact number required. Order number **MBV-XSITE-VWR**

Represented by:

Europe, Middle East, Africa: Bosch Security Systems B.V. P.O. Box 80002 5600 JB Eindhoven, The Netherlands Phone: + 31 40 2577 284 emea.securitysystems@bosch.com emea.boschsecurity.com

Germany: Bosch Sicherheitssysteme GmbH Robert-Bosch-Ring 5 85630 Grasbrunn Germany www.boschsecurity.com

North America: Bosch Security Systems, Inc. 130 Perinton Parkway Fairport, New York, 14450, USA Phone: +1 800 289 0096 Fax: +1 585 223 9180 onlinehelp@us.bosch.com www.boschsecurity.us

Asia-Pacific: Robert Bosch (SEA) Pte Ltd, Security Systems 11 Bishan Street 21 Singapore 573943 Phone: +65 6571 2808 Fax: +65 6571 2699 apr.securitysystems@bosch.com www.boschsecurity.asia

© Bosch Security Systems 2018 | Data subject to change without notice 42349061899 | en, V4, 16. Aug 2018