

# Commercial Wireless ISW-EN1242 Smoke Detector-Transmitter

www.boschsecurity.com



**BOSCH**  
Invented for life



- ▶ Fully supervised transmitter to maximize range and reliability
- ▶ Monitored CleanMe signal
- ▶ Low-profile design blends into any environment
- ▶ Disposable optical block chamber
- ▶ Exclusive wireless protocol ensures maximum performance and reliability

The ISW-EN1242 Smoke Detector Transmitter provides residential grade smoke detection and includes the Commercial Wireless platform as well as GE Interlogix CleanMe technology. The ISW-EN1242 includes two batteries, providing up to five years of operation.

## System overview

### Powered by Inovonics

The Commercial Wireless platform, powered by Inovonics wireless mesh network technology, ensures superior range, reliability, and scalability for commercial applications. Using a wide range of transmitters and repeaters, this proven technology provides flexibility and performance to meet the most stringent requirements. This exclusive protocol is available only on Commercial Wireless products.

### Wireless 900 MHz Band

The Commercial Wireless platform sends redundant information on several multi-frequency channels within the FCC Part 15 900 MHz band, providing superior range and reliability. In comparison, systems that use a single frequency technology can only send information on one narrow band channel. Any interference within

the band can cause missed signals. With wireless registration, it is easy to add this technology to any application.

## Functions

### Supervision

The battery activity and radio link are supervised. Monitoring helps ensure reliable operation.

### Monitored CleanMe Signal

The CleanMe signal indicates when the smoke detector is out of specification, increasing system integrity and reducing false alarms. CleanMe self-diagnostics monitor the detector's sensitivity and operational status. If the detector drifts out of the desired sensitivity range or fails internal diagnostics, it extinguishes its LED and sends a signal to the receiver.

### Disposable Block Chamber

The disposable chamber allows for on-site cleaning, eliminating the need to send detectors to the factory for cleaning.

## Certifications and approvals

Inovonics Wireless Corporation holds the following approvals:

FCC Conforms to FCC Part 15 regulations

Region	Certification	
USA	UL	UROX: Smoke-automatic Fire Detectors (ANSI/UL 268)
Brazil	ANATEL	0358-10-5164

## Installation/configuration notes

### Compatibility Information

The ISW-EN1242 Smoke Detector Transmitter is compatible with the following products:

#### Receivers

ISW-EN4016SK	Survey Receiver
ISW-EN4200	Serial Receiver
ISW-EN4216R	LCD Receiver
ISW-EN4204R	LED Receiver
ISW-EN7280	Serial Receiver

#### Repeater

ISW-EN5040-T	High-power Repeater
--------------	---------------------

## Parts included

Quantity	Component
1	Detector-transmitter
2	Batteries

## Technical specifications

### Electrical

Power:	Two 3.0 V batteries
Battery Replacement:	Duracell DL123A, Panasonic R123A, or approved equivalent. Not all brands are equivalent. Use the brands specified.
Battery Life (Average):	3 to 5 years. Typical battery life shown is for supervised operation using recommended check-in times.

### Environmental

Operating Temperature:	+4.4°C to +37.8°C (+40°F to +100°F)
------------------------	--

### Mechanical

Dimensions:	14.0 cm x 6.7 cm x 7.1 cm (5.5 in. x 2.63 in.)
-------------	---

### Transmission Characteristics

Frequency:	902 MHz to 928 MHz
------------	--------------------

## Trademarks

Trademark names are used throughout this document. In most cases, these designations are claimed as trademarks or registered trademarks in one or more countries by their respective owners. Rather than placing a trademark symbol in every occurrence of a trademark name, Bosch Security Systems, Inc. uses the names only in an editorial fashion and to the benefit of the trademark owner with no intention of infringing the trademark.

Duracell is a registered trademark of the Gillette Company, USA, in the United States and/or other countries.

CleanMe is registered trademark of GE Interlogix in the United States and/or other countries.

Inovonics is a trademark of Inovonics Wireless Corporation.

Panasonic is a registered trademark of Matsushita Electric Industrial Co., Ltd.

## Ordering information

### Commercial Wireless ISW-EN1242 Smoke Detector-Transmitter

Provides smoke detection functions and CleanMe signal. Includes two batteries.

Order number **ISW-EN1242**

**Represented by:**

**Americas:**

Bosch Security Systems, Inc.  
130 Perinton Parkway  
Fairport, New York, 14450, USA  
Phone: +1 800 289 0096  
Fax: +1 585 223 9180  
security.sales@us.bosch.com  
www.boschsecurity.us

**Europe, Middle East, Africa:**

Bosch Security Systems B.V.  
P.O. Box 80002  
5617 BA Eindhoven, The Netherlands  
Phone: + 31 40 2577 284  
Fax: +31 40 2577 330  
emea.securitysystems@bosch.com  
www.boschsecurity.com

**Asia-Pacific:**

Robert Bosch (SEA) Pte Ltd, Security  
Systems  
11 Bishan Street 21  
Singapore 573943  
Phone: +65 6571 2808  
Fax: +65 6571 2699  
apr.securitysystems@bosch.com  
www.boschsecurity.asia

**China:**

Bosch (Shanghai) Security Systems Ltd.  
201 Building, No. 333 Fuquan Road  
North IBP  
Changning District, Shanghai  
200335 China  
Phone +86 21 22181111  
Fax: +86 21 22182398  
www.boschsecurity.com.cn

**America Latina:**

Robert Bosch Ltda Security Systems Division  
Via Anhanguera, Km 98  
CEP 13065-900  
Campinas, Sao Paulo, Brazil  
Phone: +55 19 2103 2860  
Fax: +55 19 2103 2862  
latam.boschsecurity@bosch.com  
www.boschsecurity.com