

MSF 400 Detector Base with Damp Room Seal



The MSF 400 Detector Base is available for use of the detector in a humid environment.

With the integrated seal made of TPE, the detector base MSF 400 protects the detector effectively against the entry of condensation water.

To protect against unauthorized removal, the detector head can be secured with a variable locking.

Installation/Configuration Notes

Installation information for damp room seal

• **Do not cut into** the damp room seal on the cable feeds. Instead, pierce these using a pointed implement, and then draw the cable through.

Technical Specifications

Conn	ections	Power supply (0 V, +V) LSN (a1/a2, b1, b2) C-point Shielding
Housing		
•	Base material	ABS (Novodur)
•	Seal material	TPE
•	Base color	Similar to RAL 9010

Dimensions	Ø 120 x 24.7 mm
Weight	90 g

Ordering Information

MSF 400 Detector Base with Damp Room

for surface-mounted and flush-mounted cable feed **MSF 400**

Americas:
Bosch Security Systems, Inc.
130 Perinton Parkway
Fairport, New York, 14450, USA
Phone: +1 800 289 0096
Fax: +1 585 223 9180
security,sales@us.bosch.com
www.boschsecurity.us

Europe, Middle East, Africa: Bosch Security Systems B.V. P.O. Box 80002 5600 JB Eindhoven, The Netherlands Phone: + 31 40 2577 284 Fax: +31 40 2577 330 emea.securitysystems@bosch.com www.boschsecurity.com

Asia-Pacific: Represented by
Robert Bosch (SEA) Pte Ltd, Security Systems
11 Bishan Street 21
Singapore 573943
Phone: +65 6258 5511
Fax: +65 6571 2698
apr.securitysystems@bosch.com
www.boschsecurity.com