


User's Guide for the RF3502 Wireless Panic Keyfob



RF3502

1.0 General Information

The RF3502 is a Wireless Panic Keyfob contained in a water-immune housing that allows you to send a Panic alarm to your security system within the protected area. The keyfob is programmed with a unique code that will allow only your devices to work with your Security System.



IMPORTANT

Although the range of the keyfob may be up to 150 meters (500 feet) in open air, normal building materials can greatly reduce the range of your keyfob. If you are in your automobile or if your home has aluminum siding, the range may be reduced even further. We suggest that you try out your panic keyfob at various locations on your property to test the range.

2.0 Specifications

- **Description:** RF3502 Wireless Panic Keyfob
- **Dimensions (HxWxD):** 38 mm x 63 mm x 13 mm (2.5 in. x 1.5 in. x 0.5 in.)
- **Operating Temperature:** -29°C to +65°C (-20°F to +150°F). 0 to 85% relative humidity (non-condensing).
- **Operating Voltage:** Supplied by two 3 VDC lithium batteries.
- **Battery Life:** Approximately 10 years under normal operating conditions.

NOTE: Battery is **not** user replaceable.


- **Compatible Receivers & Panels:** RF3212 & EDM Solution
RF3222 & DS7400Xi
RF3224 & D6412
- **Compliance:** This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry and Science Canada. Operation is subject to the following two conditions:
 - 1) this device may not cause harmful interference, and
 - 2) this device must accept any interference received, including interference that may cause undesirable operation.

Changes or modifications not expressly approved by Bosch Security Systems can void the user's authority to operate the equipment.


3.0 Features of the RF3502

The RF3502 has the ability to send a Panic code to your monitoring company if your security system is programmed to do so. Pressing both keys for three seconds will send the panic code. The LED will flash to indicate that a signal has been sent to your alarm system.

NOTE: Pressing only one key will also send the panic code, but the key must be pressed for approximately four seconds.



Press both for 3 seconds to send a Panic Alarm



For Service

Please contact your Installing
Company at the above number

